

DOCUMENT

PSP / 12 61 00 / CER
Rev 2026.05 - A

ISSUED

May 2026
For client review

PERFORMANCE SPECIFICATION — CSI 12 61 00

Cervantes Auditorium Chair

Central-pedestal auditorium chair built for straight or curved rows. Wood arms, soft-close tipper.

MANUFACTURER

Hussey Seatway
UK-engineered, NA-
certified

CSI SECTION

12 61 00
Audience seating

MOUNTING

Central-pedestal
fixed-floor

WARRANTY

5-year limited
biennial inspection

SHEET INDEX · 04 SHEETS

01 **Cover**

Document control ·
product summary · meta-
grid

02 **Overview**

Auditorium positioning
· application profile

03 **Chair**

Installation · materials ·
upholstery

04 **Standards**

Compliance · warranty ·
submittal · contact



TaLedi Distribution

Authorized Hussey Seatway dealer
BC · Yukon · NWT · Nunavut



COVER

MID-TIER UPHOLSTERED AUDITORIUM

A central-pedestal auditorium chair, built for curves — fully upholstered seat and back, wooden arms, and a wood outer-backrest panel as standard.

The **central pedestal** accommodates both straight and curved rows without bespoke pedestal engineering — a single chair geometry covers the room. The **soft-close tipping mechanism** lets the seat whisper back into place during a performance — important in venues where late seating is a recurring reality.



IMG-CER-02

Venues Cervantes is built for

| VENUE TIER | RECOMMENDED CONFIGURATION | WHY IT FITS |
|---------------------------------------|--|---|
| Performing arts (curved row) | Cervantes Fixed | Repertory and roadhouse theatres, recital halls, civic auditoria |
| University lecture theatre | Cervantes Fixed with optional plate seat numbers | Signature lecture rooms, presentation theatres, professional schools |
| Conference centre / formal auditorium | Cervantes Fixed with optional row-end panels | Corporate conference venues, civic council chambers, formal ballrooms |
| Heritage / restoration | Cervantes Fixed (straight rows) | Restored heritage halls and listed buildings |

Fixed-floor installation

Cervantes is a **fixed-floor product** — riser-mounted on permanent steel or concrete tiers. **Not retractable-platform compatible.**

For retractable performing-arts venues, specify **Arts** (nose-mount theatre) or **Gallery 3** instead. The central-pedestal mount accommodates straight or curved rows without bespoke pedestal engineering.

— Configurations

— Cervantes Fixed (straight rows) · Cervantes Fixed (curved rows). Same chair; curved-row layout via the central-pedestal pivot.

— Key dimensions

— seat centre 19¾"–21¾" (500–550 mm) · total chair height 35" (893 mm) · seat height 17¾" (451 mm) · open / closed envelope 27" / 12¾" (687 / 326 mm) · minimum row depth 31½" (800 mm).

Options & finish

Wood arms with end-cap detail

Standard, in client-selected species (typical: oak, walnut, beech).

Wood outer-backrest panel

Standard, matched in stain to the venue millwork.

Tipping mechanism

Soft-close standard; **45° seat return** available as alternative.

Aisle-end Transfer Arm

Supports barrier-free wheelchair transfer for CSA B651 / BCBC §3.8 compliance.

Identification & branding

Optional upholstered or plate seat numbers · row letters · donor plaques · optional wood or upholstered row-end panels.

Powder-coat metalwork

RAL 9005 Satin Black standard.

Hussey Seatway upholstery is open-spec across Camira, Bradbury, and Fidivi — Camira Xtreme · Camira Era · Fidivi Radio · Bradbury Flamblend pre-vetted; fabric selected per project, other compliant lines specified on request. Wider fabric latitude than retractable products.

Wood arms and outer panel in client-selected species and finish — typical: oak, walnut, beech.

NFPA 102 · GREENGUARD Gold (certified for North American projects on request) · **CSA B651 + BCBC 2024 §3.8 / NBC 2020 §3.8** (Canadian barrier-free) · **EN 12727 · BS 5852**.

Backed for the long term

5 years parts and labour on the chair (seat assembly, backrest, tipping mechanism, armrests) — Hussey Seatway Limited Guarantee. Fabric warranty per upholstery manufacturer's terms. **Biennial inspection cadence** by a Hussey Seatway-approved service technician. **Service administered locally by TaLedi.**

Submittal

Full submittal package — test reports, shop drawings, wood-arm and outer-backrest finish specifications — lives in the formal **Cervantes Performance Specification** filed under **CSI Section 12 61 00**. Available on request from TaLedi.

CONTACT

Scott Augustine — TaLedi Distribution

MAIL

scott@taledi.ca
taledi.ca

PHONE

587-216-8255

AUTHORIZED DEALER

Hussey Seatway
Est. 1835

BC · YUKON · NWT · NUNAVUT · CCIB REGISTERED · MÉTIS NATION BC

Project-specific dimensions and configurations are subject to site survey and engineering review.